

TikiCVSMerge

This page is a draft version for [TikiCVSMerge](#) on [dev.tw.o](#) : [Tikiwiki Development](#) site

About

This page describes how to perform merges from a Tikiwiki branch to head on CVS.

Table of contents

- [Command line CVS](#)
 - [Step by step CVS Merge](#)
- [Merging using Eclipse IDE](#)

Command line CVS

We will work with CVS BRANCH-1-9 and HEAD in the examples here.

Step by step CVS Merge

1. Assuming you're already experienced with CVS and ready in your BRANCH-1-9 local repository copy, focused on the file you wish to merge from this branch to HEAD. Move the BRANCH-1-9-HEAD tag to the (last) version of file we want to merge:

```
rtag -a -F -r "version_to_be_tagged" "end_tag" "path/to/the/filename"
```

Example command



```
cvs rtag -a -F -r "1.50.2.36" "BRANCH-1-9-HEAD" "lib/tiki-js.js"
```

2. Change to CVS HEAD using update command on the file

Example command



```
cvs update -A "lib/tiki-js.js"
```

Note: Notice we don't specify -r (revision/tag) for update here because HEAD is the default branch and we want update to last committed version of the file. For the other command line parameters explanation enter *cvs -H update* in your terminal/console.

3. Merge changes in a file which occurred between tags MERGE-1-9-HEAD and BRANCH-1-9-HEAD (they're on BRANCH-1-9, do you remember ?) from BRANCH-1-9 to HEAD. The syntax is:

```
cvs update -j "start_tag" -j "end_tag" "path/to/the/filename"
```

Example command



